


633 WEST FIFTH STREET SUITE 2600
LOS ANGELES CA 90071
PHONE: 1-213-223-2365
FAX: 1-213-223-2368
IP@ADLILAW.COM
WWW.ADLILAW.COM



Dariusz G. Adli
President
ADLI Law Group P.C.
Los Angeles, CA

June 7, 2011

**Attention: Office of Petitions
Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

**Re: U.S. Patent Application Series No. 10/537,959
Thermoplastic Polyimide Resin Film, Multilayer Body and Method for
Manufacturing Printed Wiring Board Composed of Same
First named Inventor: Shigeru Tanaka
Our Ref: 1001.103**

Dear Sir:

On May 26, 2011 at 6:45pm, Applicant attempted to file a Response to the Office Action, dated November 26, 2010 ("Response"), but was unsuccessful due to an Electronic Filing Error on the part of the PTO filing system. In particular, the PTO server issued a technical error page during multiple filing attempts between 6:45 pm and 9:00 pm on that date. The USPTO electronic filing system finally accepted the filing on 9:02 pm on that date. See *Electronic Filing receipt of response to office action filed, Exhibit A*.

On May 27, 2011, Applicant contacted the USPTO Call Center and discussed the issue with the USPTO representative (reference # 1-1888-055555). Applicant explained that the PTO's electronic filing system failed to accept Applicant's properly filed Response.

Applicant therefore petitions the USPTO to assign the AMENDMENT UNDER 37 C.F.R. § 1.116 the filing date of May 26, 2011. Applicant fully complied with the requirements for submission of the Response, including filing of extension of time and all necessary documents and was only prevented from filing the Response by the failure of the USPTO electronic filing system.

Very truly yours,

A handwritten signature in black ink, appearing to read "Dariusz G. Adli", is written over a horizontal line.

Dariusz G. Adli

Adli Law Group P.C.

DGA:nhs
Enclosures